



OUR QUALITY = YOUR SAFETY



CODIPRO

www.codipro.net

SEB

SWIVEL EYE BOLT
ANNEAU DE LEVAGE PIVOTANT
WIRBELRINGSCHRAUBE
CÁNCAMO GIRATORIO DE ELEVACIÓN



Reference Référence Referenz Referencia	WLL CMU Höchstbelastung CMU	Reference Référence Referenz Referencia	WLL CMU Höchstbelastung CMU	Reference Référence Referenz Referencia	WLL CMU Höchstbelastung CMU
SEB M 8	0,3 TO	SEB M 20	2,5 TO	SEB M 42	12,5 TO
SEB M 10	0,6 TO	SEB M 24	4 TO	SEB M 48	15 TO
SEB M 12	1 TO	SEB M 30	6,3 TO		
SEB M 16	1,6 TO	SEB M 36	10 TO		

DSR

DOUBLE SWIVEL RING
ANNEAU À DOUBLE ARTICULATION
DOPPELWIRBELRING
CÁNCAMO DOBLE GIRATORIO ARTICULADO



Reference Référence Referenz Referencia	WLL CMU Höchstbelastung CMU								
DSR M 4	0,05 TO	DSR M 12	1 TO	DSR M 22	3 TO	DSR U 038	1,200 LBS	DSR U 100	10,000 LBS
DSR M 5	0,075 TO	DSR M 14	1,3 TO	DSR M 24	4 TO	DSR U 050	2,200 LBS		
DSR M 6	0,1 TO	DSR M 16	1,6 TO	DSR M 27	5 TO	DSR U 058	3,800 LBS		
DSR M 8	0,3 TO	DSR M 18	2 TO	DSR M 30	6,3 TO	DSR U 075	5,500 LBS		
DSR M 10	0,6 TO	DSR M 20	2,5 TO	DSR U 516	650 LBS	DSR U 078	6,600 LBS		

DSS

DOUBLE SWIVEL SHACKLE
ANNEAU DE LEVAGE UNIVERSEL
DOPPELWIRBELRINGSCHRAUBE
CÁNCAMO GIRATORIO UNIVERSAL 3.D



Reference Référence Referenz Referencia	WLL CMU Höchstbelastung CMU								
DSS M 24	4,5 TO	DSS M 42	12,5 TO	DSS M 52	20 TO	DSS M 72x4	25 TO	DSS U 150	20,000 LBS
DSS M 30	7,3 TO	DSS M 42x3	12,5 TO	DSS M 56	25 TO	DSS M 80	32,1 TO	DSS U 200	50,000 LBS
DSS M 33	8 TO	DSS M 45	15 TO	DSS M 56x4	25 TO	DSS M 90	32,1 TO		
DSS M 36	10 TO	DSS M 48	20 TO	DSS M 64	32,1 TO	DSS M 100	32,1 TO		
DSS M 36x3	10 TO	DSS M 48x3	20 TO	DSS M 64x4	32,1 TO	DSS U 125	14,000 LBS		
DSS M 39	10 TO	DSS M 48x4	20 TO	DSS M 72	25 TO	DSS U 138	20,000 LBS		

Mega DSS

MEGA DOUBLE SWIVEL SHACKLE
MEGA ANNEAU DE LEVAGE UNIVERSEL
MEGA DOPPELWIRBELRINGSCHRAUBE
MEGA CÁNCAMO GIRATORIO UNIVERSAL 3.D



Reference Référence Referenz Referencia	WLL CMU Höchstbelastung CMU	Reference Référence Referenz Referencia	WLL CMU Höchstbelastung CMU	Reference Référence Referenz Referencia	WLL CMU Höchstbelastung CMU
Mega DSS M 64	33 TO	Mega DSS M 100	50 TO	Mega DSS U 325	90,000 LBS
Mega DSS M 72	35 TO	Mega DSS U 225	55,000 LBS	Mega DSS U 350	95,000 LBS
Mega DSS M 72x4	35 TO	Mega DSS U 250	70,000 LBS	Mega DSS U 375	100,000 LBS
Mega DSS M 80	40 TO	Mega DSS U 275	75,000 LBS	Mega DSS U 400	110,000 LBS
Mega DSS M 90	45 TO	Mega DSS U 300	80,000 LBS		

50To

SS.DSR

**STAINLESS STEEL DOUBLE SWIVEL RING
ANNEAU À DOUBLE ARTICULATION INOXYDABLE
ROSTFREIER DOPPELWIRBELRING
CÁNCAMO DOBLE GIRATORIO ARTICULADO INOXIDABLE**



Reference Référence Referenz Referencia	WLL CMU Höchstbelastung CMU	Reference Référence Referenz Referencia	WLL CMU Höchstbelastung CMU	Reference Référence Referenz Referencia	WLL CMU Höchstbelastung CMU
SS.DSR M 8	0,3 TO	SS.DSR M 12H	0,8 TO	SS.DSR M 22H	2 TO
SS.DSR M 8H	0,3 TO	SS.DSR M 14H	1 TO	SS.DSR M 24H	2,7 TO
SS.DSR M 10	0,5 TO	SS.DSR M 16H	1,5 TO	SS.DSR M 27H	2,8 TO
SS.DSR M 10H	0,5 TO	SS.DSR M 18H	1,5 TO	SS.DSR M 30H	3 TO
SS.DSR M 12	0,8 TO	SS.DSR M 20H	1,6 TO		

SS.DSS

**STAINLESS STEEL DOUBLE SWIVEL SHACKLE
ANNEAU DE LEVAGE UNIVERSEL INOXYDABLE
ROSTFREIE DOPPELWIRBELRINGSCHRAUBE
ANILLO DE ELEVACIÓN UNIVERSAL INOXIDABLE**



Reference Référence Referenz Referencia	WLL CMU Höchstbelastung CMU	Reference Référence Referenz Referencia	WLL CMU Höchstbelastung CMU	Reference Référence Referenz Referencia	WLL CMU Höchstbelastung CMU
SS.DSS M 30	3,5 TO	SS.DSS M 39	5 TO	SS.DSS U 100	6,000 LBS
SS.DSS M 33	3,5 TO	SS.DSS M 42	6 TO	SS.DSS U 125	7,500 LBS
SS.DSS M 36	5 TO	SS.DSS M 42x3	6 TO	SS.DSS U 138	7,500 LBS
SS.DSS M 36x3	5 TO	SS.DSS M 45	6 TO	SS.DSS U 150	11,000 LBS

NEW

	STANDARD STANDARD STANDARD ESTÁNDAR	CENTRING CENTRAGE ZENTRIERUNG CENTRAJE	FEMALE FEMELLE MIT INNENGEWINDE HEMBRA	STAINLESS INOX ROSTFREI INOXIDABLE	STAINLESS+FEMALE FEMELLE INOX ROSTFREI+MIT INNENGEWINDE INOXIDABLE HEMBRA
SEB					
DSR					
DSS					
DSP				Our speciality : specific hoist rings	
TSR				Notre spécialité : le sur-mesure	
DSH				Unsere Spezialität : Maßanfertigungen	
CSS				Nuestra especialidad : cáncamos de elevación específicos	



TRACEABILITY BY INDIVIDUAL CODE

TRAÇABILITÉ PAR CODE INDIVIDUEL

RÜCKVERFOLGBARKEIT DURCH
EINEN INDIVIDUELLEN CODE

TRAZABILIDAD MEDIANTE CÓDIGO INDIVIDUAL



STANDARD RINGS IN STOCK / FAST DELIVERY

ANNEAUX STANDARD DE STOCK /
LIVRAISON RAPIDE

STANDARD RINGE AUF LAGER /
SCHNELLE LIEFERUNG

CÁNCAMOS ESTÁNDAR DE STOCK /
ENTREGA RÁPIDA



IN ACCORDANCE WITH THE NEW EUROPEAN
DIRECTIVE 2006/42/CE

CONFORME À LA DIRECTIVE EUROPÉENNE
MACHINES 2006/42/CE

GEWÄHRLEISTEN DIE NEUE EUROPÄISCHE
RICHTLINIE 2006/42/EG

CONFORMES A LA DIRECTIVA
EUROPEA 2006/42/CE

50 To



CLASS > 8; HIGH SAFETY FACTOR AND WLL.
TESTING ACCORDING TO EN 1677-1

CLASSE > 8 ; COEFFICIENT SÉCURITÉ ET CMU ÉLEVÉS.
TEST SELON LA NORME EN 1677-1

KLASSE > 8; HOHER WLL UND SICHERHEITSFAKTO. TEST ENTSPRECHEND DER NORM EN 1677-1

CLASE > 8; COEFICIENTE DE SEGURIDAD Y WLL ELEVADOS.
TEST SEGÚN LA NORMA EN 1677-1



**ASK FOR OUR TECHNICAL DOCUMENTATION
DEMANDEZ NOTRE DOCUMENTATION TECHNIQUE
FRAGEN SIE UNSERE TECHNISCHE DOKUMENTATION AN
PIDE NUESTRO CATÁLOGO TÉCNICO**



LUXEMBOURG :

Zone d'Activités Salzbaach • L - 9559 WILTZ • BP 100 L - 9502 WILTZ
Tél. +352 26 81 54-1 • Fax +352 81 05 17

FRANCE :

9, Boulevard des Ravalieres Z.A. • F - 72560 CHANGÉ
Tél. +33 (0)2 43 40 17 00 • Fax +33 (0)2 43 40 07 99

