

7. BARREL HANDLING EQUIPMENT



BARREL LIFTERS

CLAMPS

TROLLEYS



ABT yellowline®

HARU BARREL LIFTER FOR VERTICAL LIFTING


- vertical lifting
- clamps are fixed firmly on a 2-leg chain sling
- suitable for barrels of various sizes
- paint coated
- safety factor 4: 1
- CE marked
- **not to be heat treated**

WLL kg	Sling type	L size mm	Weight appr. kg	Product code
1000	for 1 barrel	690	3	TYNRAHARU1

BARREL LIFTERS FOR HORIZONTAL LIFTING


- lifting only horizontally
- adjusts automatically for different barrel sizes
- paint coated
- safety factor 4: 1
- CE marked
- **not to be heat treated**

WLL kg	Sling type	Weight appr. kg	Product code
1000	for 1 barrel	5	TYRA01
2000	for 2 barrel	10	TYRA02

BARREL LIFTER FOR FORKLIFTS

- for a 200 litre standard barrel
- barrel maximum weight 365kg
- simple and quick attachment
- barrel turning also possible from within a forklift
- weight 70 kg
- for industry, farms, contractors etc.
- CE marked
- **not to be heat treated**

Product code: TYNN365TRU


BARREL CLAMP FOR VERTICAL LIFTING

- lifting only vertically
- suitable for barrels of various sizes
- paint coated
- safety factor 4: 1
- CE marked
- **not to be heat treated**



WLL kg	Clamp type	Weight appr. kg	Product code
600	for 1 barrel	7	TYTAR600

BARREL LIFTER AND TURNER
LIFT, MOVE AND TURN THE BARREL

- for a 200 litre standard barrel
- barrel maximum weight 250 kg
- easy and quick to use
- the barrel can be moved in a vertical or horizontal position
- unladen weight 45kg
- for industry, farms, contractors etc.
- CE marked
- **not to be heat treated**

PRODUCT CODE: TYVA250


Move the cart next to the upright barrel and attach it to the lifter.

Lift the barrel and move it to the desired location.

Mount a tap on the barrel, open the locks and turn the barrel to horizontal position. Now you can empty the contents into a smaller container.